



Spray equipment since 1980

# GENERAL CATALOGUE



[www.sinaer.eu](http://www.sinaer.eu)

# Index

Pneumatic diaphragm low pressure pumps.....	Page 3
Pneumatic piston high pressure pumps.....	Page 5
Diaphragm airless pumps with electric motor.....	Page 8
Diaphragm airless pumps with petrol engine.....	Page 11
Hydraulic piston airless pumps with electric and petrol engine.....	Page 14
Spray guns.....	Page 17
Accessories.....	Page 20
Spare parts.....	Page 25

# Pneumatic diaphragm low pressure pumps

Fields of activity: woodworking industry (spraying primer and lacquering), wrought iron, light carpentry, ceramics, industrial carriage building. Suitable for HVLP setting.

# MM101

Mono-diaphragm pneumatic low pressure pump for air-combi spraying



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	7 Bar
FLOW RATE	10 l./min.
COMPRESSION RATIO	1:1
CODE	099001

## STANDARD ACCESSORIES KIT:

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for low pressure Ø8-Ø6 conn.  $\frac{1}{4}$  10 m. (A4047139)
- 1 manual spray gun SP 77 (A1227007)

# DM 2000 S

Double-diaphragm pneumatic low pressure pump for air-combi spraying



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	7 Bar
FLOW RATE	25 l./min.
COMPRESSION RATIO	1:1
CODE	099007A

## STANDARD ACCESSORIES KIT:

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for low pressure conn. Ø8-Ø6  $\frac{1}{4}$  10 m. (A4047139)
- 1 manual spray gun SP 77 (A1227007)

# Pneumatic piston high pressure pumps

Fields of activity: woodworking industry (finishing), shipbuilding industry, medium-heavy carpentry, ceramics, food and confectionery industry. Suitable for both AIRLESS and AIR-COMBI settings.

# S 12:1 TN inox

Piston pneumatic high pressure pump suitable for both AIRLESS and AIR-COMBI settings



## TECHNICAL SPECIFICATIONS:

TYPE	Piston pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	80 Bar
FLOW RATE	8 l./min.
COMPRESSION RATIO	12:1
CODE	109012XS

## STANDARD ACCESSORIES KIT (for air-combi):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for high pressure conn.  $\frac{1}{4}$  10 m. (A4047026)
- 1 manual spray gun OT 250 for high pressure (A1097108)

## STANDARD ACCESSORIES KIT (for airless):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 airless paint hose conn.  $\frac{1}{4}$  10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# S 20:1 TN inox

Piston pneumatic high pressure pump suitable for both AIRLESS and AIR-COMBI settings



## TECHNICAL SPECIFICATIONS:

TYPE	Piston pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	140 Bar
FLOW RATE	8 l./min.
COMPRESSION RATIO	20:1
CODE	109020CXS

## STANDARD ACCESSORIES KIT (for air-combi):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for high pressure conn.  $\frac{1}{4}$  10 m. (A4047026)
- 1 manual spray gun OT 250 for high pressure (A1097108)

## STANDARD ACCESSORIES KIT (for airless):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 airless paint hose conn.  $\frac{1}{4}$  10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# S 32:1 TN inox

Piston pneumatic high pressure pump suitable for both AIRLESS and AIR-COMBI settings



## TECHNICAL SPECIFICATIONS:

TYPE	Piston pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	220 Bar
FLOW RATE	8 l./min.
COMPRESSION RATIO	32:1
CODE	109032XE

## STANDARD ACCESSORIES KIT (for air-combi):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for high pressure conn.  $\frac{1}{4}$  10 m. (A4047026)
- 1 manual spray gun OT 250 for high pressure (A1097108)

## STANDARD ACCESSORIES KIT (for airless):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 airless paint hose conn.  $\frac{1}{4}$  10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# S 50:1 TN inox

Piston pneumatic high pressure pump suitable for both AIRLESS and AIR-COMBI settings



## TECHNICAL SPECIFICATIONS:

TYPE	Piston pneumatic
SUPPORT	Trolley
PROPULSION	Pneumatic
MAX PRESSURE	300 Bar
FLOW RATE	8 l./min.
COMPRESSION RATIO	50:1
CODE	109000LX

## STANDARD ACCESSORIES KIT (for air-combi):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 air-combi coupled paint hose for high pressure conn.  $\frac{1}{4}$  10 m. (A4047026)
- 1 manual spray gun OT 250 for high pressure (A1097108)

## STANDARD ACCESSORIES KIT (for airless):

- 1 paint suction system conn.  $\frac{3}{4}$ - $\frac{1}{2}$  90° (A0137005)
- 1 airless paint hose conn.  $\frac{1}{4}$  10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# Diaphragm airless pumps with electric motor

Fields of activity: building construction and renovation, road marking, asbestos encapsulation, agriculture, livestock.



# NEW 4500

Diaphragm airless pump with electric motor



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm electric
SUPPORT	Trolley or static frame
PROPULSION	Electric monofasic o trifasic
MAX PRESSURE	200 Bar
FLOW RATE	4 l./min.
POWER	1,1 kW – 1420 rpm
CODE	089000

## STANDARD ACCESSORIES KIT:

- 1 plastic hopper 6 litres (cod. A4027013A)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# EXPORT 7000

Diaphragm airless pump with electric motor



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm electric
SUPPORT	Trolley
PROPULSION	Electric monofasic o trifasic
MAX PRESSURE	230 Bar
FLOW RATE	5,5 l./min.
POWER	1,5 kW – 1420 rpm
CODE	059000A

## STANDARD ACCESSORIES KIT:

- 1 paint suction system conn. 36x2 – ½ 90° (cod. A0197050X)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# EXPORT 10000

Diaphragm airless pump with electric motor.



## **TECHNICAL SPECIFICATIONS:**

TYPE	Diaphragm electric
SUPPORT	Trolley
PROPULSION	Electric monofasic o trifasic
MAX PRESSURE	250 Bar
FLOW RATE	7 l./min.
POWER	2,2 kW – 1420 rpm
CODE	069000

## **STANDARD ACCESSORIES KIT:**

- 1 wall-paint suction system conn. 36x2 – 28x1,5 90° (cod. A0197049)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# Diaphragm airless pumps with petrol engine

Fields of activity: building construction and renovation, road marking, asbestos encapsulation, agriculture, livestock.

# SC 4500

Diaphragm airless pump with petrol engine



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm petrol powered
SUPPORT	Trolley
PROPULSION	Petrol engine
MAX PRESSURE	220 Bar
FLOW RATE	4 l./min.
POWER	HP 4.0 – 1420 rpm
CODE	089000C

## STANDARD ACCESSORIES KIT:

- 1 paint suction system conn. 36x2 – ½ 90° (cod. A0197050X)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# SC 7000

Diaphragm airless pump with petrol engine



## TECHNICAL SPECIFICATIONS:

TYPE	Diaphragm petrol powered
SUPPORT	Trolley
PROPULSION	Petrol engine
MAX PRESSURE	240 Bar
FLOW RATE	5,5 l./min.
POWER	HP 5.5 – 1420 rpm
CODE	059000C

## STANDARD ACCESSORIES KIT:

- 1 wall-paint suction system conn. 36x2 – 28x1,5 90° (cod. A0197049)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# SC 10000

Diaphragm airless pump with petrol engine



## **TECHNICAL SPECIFICATIONS:**

TYPE	Diaphragm petrol powered
SUPPORT	Trolley
PROPULSION	Petrol engine
MAX PRESSURE	260 Bar
FLOW RATE	7 l./min.
POWER	HP 5.5 – 1420 rpm
CODE	389000

## **STANDARD ACCESSORIES KIT:**

- 1 wall-paint suction system conn. 36x2 – 28x1,5 90° (cod. A0197049)
- 1 airless paint hose conn. ¼ 10 m. (A4047128)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# Hydraulic airless piston pumps with electric and petrol engine

Fields of activity: building construction (application of dense products), road marking, asbestos encapsulation.

# SPRAY FORCE ONE 3.1

Hydraulic airless piston pump with electric and petrol engine



## **TECHNICAL SPECIFICATIONS:**

TYPE	Hydraulic piston airless
SUPPORT	Trolley
PROPULSION	Electric or petrol engine
MEX. PRESSURE	230 Bar
FLOW RATE	3,1 l./min.
POWER	1,5 kW electric, HP 4.0 petrol - 1420 rpm
CODE	SF1031E - SF1031P

## **STANDARD ACCESSORIES KIT:**

- 1 paint suction system conn. 36x2 - 1/2 90° (A0197050X)
- 1 airless paint hose 3/8 10 m. (A4047176)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# SPRAY FORCE ONE 5.5

Macchina airless idraulica a pistone con motore elettrico e a scoppio



## **TECHNICAL SPECIFICATIONS:**

TYPE	Hydraulic piston airless
SUPPORT	Trolley
PROPULSION	Electric or petrol engine
MEX. PRESSURE	230 Bar
FLOW RATE	5,5 l./min.
POWER	2,2 kW electric, HP 5.5 petrol - 1420 rpm
CODE	SF1055E - SF1055P

## **STANDARD ACCESSORIES KIT:**

- 1 paint suction system conn. 36x2 - 1/2 90° (A0197050X)
- 1 airless paint hose 3/8 10 m. (A4047176)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)

# SPRAY FORCE ONE 8.9

Macchina airless idraulica a pistone con motore elettrico e a scoppio



## **TECHNICAL SPECIFICATIONS:**

TYPE	Hydraulic piston airless
SUPPORT	Trolley
PROPULSION	Electric or petrol engine
MEX. PRESSURE	230 Bar
FLOW RATE	8,9 l./min.
POWER	2,2 kW electric, HP 5.5 petrol - 1420 rpm
CODE	SF1089E - SF1089P

## **STANDARD ACCESSORIES KIT:**

- 1 paint suction system conn. 36x2 - 1/2 90° (A0197050X)
- 1 airless paint hose 3/8 10 m. (A4047176)
- 1 airless spray gun AP 500 (A1227136A)
- 1 tip nozzle with nozzle guard (SC6xxxx + A4027110)



# Spray guns

Automatic and manual spray guns, AIRLESS and AIR-COMBI.

# KS 25




Airless spray gun max. 250 BAR  
(Code: A1227021)

# GR 11



Airless spray gun max. 350 bar  
(Code: A1227160)

# GR 13



Airless spray gun max. 500 bar  
(Code: A1227029)

# OT 250



Air-combi spray gun for high pressure max. 250 bar  
(Code: A1097108)

# SP 71



Air-combi spray gun for low pressure max. 7 bar  
(Code: A122700)

# SP 77



Air-combi spray gun for low pressure max. 7 bar  
(Code: A1227007)

# SR 43



Anti-dusting manual spray gun for HVLP  
(Code: A1227108)

# AP 81



Automatic airless spray gun  
(Code: A1227024A)

# Accessories

Paint hoses, tip nozzles, suction and recycling systems, pressure dampeners, etc.



- Paint suction system 36x2 – ½ conn. 90% (Code: A0197050)
- Paint suction system ¾ - ½ conn. 90° stainless steel (Code: A1237007X)
- Paint suction system 36x2 – ½ conn. 90° stainless steel (Code: A0197050X)



- Wall-paint suction system 36x2 – 28x1,5 conn. 90% sieve 60 mesh (Code: A0197049)
- Wall-paint suction system 36x2 – 28x1,5 conn. 90% stainless steel sieve 60 mesh (Code: A0197049X)



- Paint suction system ¾ - ½ straight conn. rilsan recycling pipe (Code: A1237005)
- Paint suction system ¾ - ½ straight conn. rilsan recycling pipe (Code: A1237005x)
- Paint suction system ¾ - ½ conn. 90° rilsan recycling pipe (Code: A0137005)
- Paint suction system ¾ - ½ att conn. 90° rilsan recycling pipe (Code: A0137005x)



- Wall-paint suction pipe 36x2 – 28x1,5 att. 90° (Code: A0147006)
- Paint suction pipe ¾ - ½ att. 90° semplice (Code: A0147005)



- Rubber recycling pipe 20x2 Ø 14 conn. 90° (Code: A0147017)
- Rubber recycling pipe 20x2 Ø 14 straight connection (Code: A0147016)



Rilsan recycling pipe complete  
(Code: A4047258)



Suction bell 1/2 complete  
(Code: A1097156)



Sieve filter "MIDI" complete  
(Code: A4027103A)



- Sieve filter 28x1,5 - 30 mesh (Code: A4037056B)
- Sieve filter 28x1,5 - 60 mesh (Code: A4037056C)



- Adjustable swivel for extension - standard (Code: A4027230)
- Adjustable swivel for extension – stainless steel (Code: A4027125)



L-shaped connection for hopper  
(Code: 204003)



U-shaped connection for hopper  
(Code: 242002)



Guard for tip nozzles  
(Code: A4027110)



Self-cleaning tip nozzle (all sizes)  
(Code: SC6xxxx)



- Extension for airless spray gun - stainless steel 30-50 cm (Code: A4037031)
- Extension for airless spray gun - stainless steel 51-80 cm (Code: A4037032)
- Extension for airless spray gun - stainless steel 81-100 cm (Code: A4037033)
- Extension for airless spray gun - stainless steel 101-150 cm (Code: A4037126)



Manometer for high pressure  
(Code: 012007)



Manometer for low pressure  
(Code: 102019)



External housing for airless gun filter  
(Code: PSP6186)



Powered roller for airless  
(Code: A4037006)



Plastic hopper (6 liters) litri - Available white-transparent and black (Code: A4027013)



Stainless-steel hopper 25 liters  
(Code: A0147001)



- Paint hose for airless conn. 1/4 da 7,5 m. (Code: A0147003)
- Paint hose for airless conn. 1/4 da 10 m. (Code: A4047128)
- Paint hose for airless conn. 3/16 – 1/4 7,5 m (Code: A4047119)
- Paint hose for airless conn. 3/16 – 1/4 10 m (Code: A4047003)
- Paint hose for airless conn. 3/8 10 m. (Code: A4047176)



- Coupled paint hose for **low pressure** air-combi Ø8 – Ø6 conn. 1/4 7,5 m. (Code: A4047001)
- Coupled paint hose for **low pressure** air-combi Ø8 – Ø6 conn. 1/4 10 m. (Code: A4047139)
- Coupled paint hose for **low pressure** air-combi Ø8 – Ø6 conn. 1/4 15 m. (Code: A4047127)
- Coupled paint hose for **high pressure** air-combi Ø8 – Ø6 conn. 3/16 - 1/4 7,5 m. (Code: A4047009)
- Coupled paint hose for **high pressure** air-combi Ø8 – Ø6 conn. 3/16 - 1/4 10 m. (Code: A4047026)
- Coupled paint hose for **high pressure** air-combi Ø8 – Ø6 conn. 3/16 - 1/4 15 m. (Code: A4047022)




- Dampener and manometer group for NEW 4500 and SC 4500 (Code: 012004C)
- Dampener and manometer group for EXPORT series and SC 7000 – 10000 (Code: 012007C)



# Spare parts

Cartridge filters, inline fluid filters, diaphragms, regulators, taps, etc.



- Filter disc for suction bell and hopper 60 mesh (Code: A2237076)
- Filter disc for suction bell and hopper 100 mesh (Code: A2237077)



Locking support for filter disc  
(Code: A2237078)



Suction bell ½ simple  
(Code: A2237079)



- Airless gun filter 60 mesh BLACK (Code: A4027022)
- Airless gun filter 100 mesh BLUE (Code: A4027023)
- Airless gun filter 160 mesh RED (Code: A4027024)



- Long sieve filter 60 mesh (Code: A2237083)
- Long sieve filter 100 mesh (Code: A2237084)
- Long sieve filter 200 mesh (Code: A2237085)



- Short sieve filter 30 mesh (Code: A4027103A)
- Short sieve filter 60 mesh (Code: A4027103)



- Complete diaphragm group for NEW 4500 and SC 4500 (Code: A0197046)
- Complete diaphragm group for EXPORT and SC 7000 – 10000 (Code: A0197046B)



Diaphragm for MM 101 and DM 2000 S  
(Code: 093005)



- Inline fluid filter for high pressure - standard (Code: A4037057C)
- Inline fluid filter for high pressure – stainless steel (Code: A4037058B)



Inline fluid filter for low pressure  
(Code: A4037053)



- Short airless suction valve for NEW 4500 and SC 4500 (Code: A0197045A)
- Long airless suction valve for EXPORT series and SC 7000 – 10000 (Code: A0197045)



Spare kit for airless suction valve – Housing, gasket, poppet, top and bottom seal, zipper and nut (Code: KT2009)



Stainless steel suction valve  $\frac{3}{4}$  for MM 101  
(Code: A0997144X)



Complete retaining valve for airless  
(Code: A0197051)



Pressure regulation valve for airless  
(Code: A0197047)



Relief valve for airless  
(Code: A0197052)



Pressure regulator for MM 101 – DM 2000 S  
(Code: 092013)



Air regulation group for MM 101  
(Code: A0137011)



- FRL group 1/2 for high pressure (Code: A1097111)
- FRL group 3/8 for high pressure (Code: A1097104)



FRL group 1/4 for low pressure  
(Code: A1097109C)



3-way tap for high pressure  
(Code: 342017)



Tap for high pressure - BIG  
(Code: 014004)



Tap for high pressure - SMALL  
(Code: 014003)



Pressure dampener mod. H 100 - 90 bar  
(Code: A4027251)

**The manufacturer reserves the right to change the appearance and specifications of products without notice.**

**This catalogue is composed of 32 pages including the covers.**

**Copyright SINAER – March 2013 Issue**



**NOTES:**

**NOTES:**



Spray equipment since 1980

[www.sinaer.eu](http://www.sinaer.eu)



**AUTHORIZED DEALER'S STAMP:**